

Table 5.5 – Morley Well

Date Sampled	T Coliform #/100ml	F Coliform #/100ml	E Coliform #/100ml	Color PtCo	pH Units	Turbidity NTU	Conductivity µmho/cm
8/11/2000	762	14	10	155	6.8	3.5	201
8/14/2000	1500	36	14	214	5.4	3.9	143
8/23/2000	20001	1200	>200	159	6.4	16.0	255
8/30/2000	23000	262	300	172	7.2	-	172
9/6/2000	14500	318	600	187	6.9	-	129
9/8/2000	sinkhole plugged						
9/13/2000	1000	48	55	130	7.4	17.0	296
9/18/2000	94	8	25	114	7.2	5.0	327
9/20/2000	2400	136	73	116	7.2	4.2	313
9/25/2000	409	13	16	105	7.3	3.2	319
9/28/2000	186	3	2	87	6.7	2.7	280
10/2/2000	38	<1	<1	84	7.1	3.2	324
10/5/2000	12	1	<1	80	6.4	2.9	353
10/9/2000	245	<1	<1	83	6.5	3.3	321
10/12/2000	45	<1	1	83	6.7	3.9	318
11/14/2000	<2	<2	<2	108	7.4	5.4	307
12/12/2000	2	<1	<1	79	7.5	5.0	211